

Sneha Kinetic Power Projects Private Limited

CIN: U40109DL2000PTC231172



O/c

Ref: GSKPPPL/GTK/MoEF&CC/2025-26/12- 3/18 - 348 (C)

Date: 13.12.2025.

The Dy. Inspector General of Forest (C)
Integrated Regional Office
Ministry of Environment, Forests & Climate Change,
Government of India,
IB-198, Sector-III, Salt Lake City,
Kolkata- 700106



Sub: Submission of Half Yearly Compliance report on environment stipulations- as per MoEF Environment Clearance of the Dikchu HEP (96 MW) in Sikkim. By M/s. Sneha Kinetic Power projects Pvt. Ltd.

Ref: Environment Clearance obtained from MoEF&CC vide Letter no: J-12011/91/2007-IA-I, Dt-01.04.2008.

Amendment in Environment Clearance obtained from MoEF&CC vide Letter no: J-12011/91/2007-IA-I, Dt-05.03.2018.

Sir,

With reference to above, our project is in operational stage after being successfully commissioned. We hereby submitting our Half Yearly Compliance and Status Report (along with required annexures) for a period ending up to Oct 2025.

Thanking you

Yours sincerely

For M/s. Sneha Kinetic Power Project Pvt. Ltd.
SNEHA KINETIC POWER PROJECTS PVT. LTD.

Handwritten signature

AUTHORISED SIGNATORY
(Authorized Signatory)

Copy to: MoEF&CC, New Delhi- for kind information Please.

MS- State Pollution Control Board, Govt of Sikkim- for kind information Please.

Nodal Officer- FCA, Forest & Env. Deptt- for kind information Please.



Gangtok HQ (737101) Counter No. भारतीय डाक
ST-D EN13700228IN ITR:698713700228
15-12-2025 14:02:39,105 (Actual)
To: ADD DIRECTOR, INDIA PARVATAM BHAWAN
Loda Road HO, DELHI - 110003
From:SNEHA KINETIC POWER PROJECTS-737101
(Base: 2.00)

Track@ www.indiapost.gov.in Dial-18002666666

Gangtok HQ (737101) Counter No. भारतीय डाक
ST-D EN13700228IN ITR:698713700228
15-12-2025 14:02:00,105 (Actual)
To: DY IC OF FOREST, MIN OF ENVIRONMENT
Bidhan Nagar, WEST BENGAL - 700106
From:SNEHA KINETIC POWER PROJECTS-737101
(Base: 08.00)

Track@ www.indiapost.gov.in Dial-18002666666

*Six Monthly Compliance & Status Report
(May 2025 to Oct 2025)
of
Environmental Clearance
for
Dikchu Hydro Electric Project (96 MW), Sikkim*



by

M/s Sneha Kinetic Power Projects Private Limited

Brief details of Project		
1.	Name of the project	Dikchu Hydro Electric Project (96 MW)
2.	Type of Project	River Valley Project (run off river scheme)
3.	Clearance Letter(s) OM No. & Date	
	a) Environment Clearance	Obtained vide i. Ref no: J12011/91/2007-IA. I dated 1 st April 2008 ii. Amended EC obtained vide ref no: J-12011/91/2007-IA-I dated 5 th March 2018
	b) Forest Clearance (Stage-II from Govt. of Sikkim)	Obtained vide i. Ref no:1110/FCA/FEWMD/515dated 9 th February 2010 ii. After Addition/Adjustment, the revised forest land diversion of about 1.2610 ha was obtained vide ref. no:1110/FCA/FEWMD/1662dated 26 th March 2013
4.	Location details	
	a) District	East & North District
	b) State	Sikkim
	c) Dam site	
	i. Latitude	27°24' 00"N
	ii. Longitude	88°35'20"E
	d) Powerhouse	
	i. Latitude	27°24'00"N
	ii. Longitude	88°35'20"E
5.	Contact details of Concerned officials at	
	a) Site office	Mr. Karma C Lepcha Dikchu, Lower Raktong East-District, Sikkim-737107 Ph no: +919733310947
	b) Corporate/Head office	Mr. Dinesh Prasad Bhargava Plot no-13, Sy.no.64 Part, Block-D, Fourth Floor, Hitech City Layout, Madhapur Village, Hyderabad-500081, Ph.no-040- 40301000, fax: 040-40301101.
6.	Status of construction	Project is in operation stage. Declaration of COD was done for i. Unit 1 on 12 th April 2017 ii. Unit 2 on 28 th May 2017

Compliance & Status report for the period ending Oct 2025

S.no:	Conditions	Status
I	Additional conditions specified during Amendment of EC on 5/3/2018	
i.	<p>The muck generation quantity is beyond the EC quantity. Further, consolidated and compaction of dumps have not been done.</p> <p>The debris is sliding through the slopes to River. Retaining wall is not capable to control the muck from erosion. No reclamation at any site has been done so far.</p>	<p>No additional muck other than shown in the calculations was generated at site, however it was observed that somehow swell factor was not added for calculation of muck to be dumped. Calculations were corrected by adding that and accordingly the details were supplied.</p> <p>For the required 3lakh cum of muck to be dumped, muck area of about 4lakh cum capacity is available. In addition to this, all modern techniques of reclamation in consultation with forest officials are implemented.</p>
ii.	<p>The dumping sites need to be completely reclaimed to avoid soil and sediment run off from dumps. A reclamation plan with time bound implementation schedule may be submitted to regional office. The project must allocate sufficient fund for reclamation of Six Dumping sites.</p>	<p>In addition to details above, during EC amendment, the Muck management plan allocated fund has been increased to Rs.257.77lakhs from earlier approved Rs.76.03lakhs.</p>
iii.	<p>The report on raising Afforestation in 15.6 Ha with details of site, species planted and survival status etc. is yet to be submitted by project to regional office.</p>	<p>For Green Belt Development around project area, we have been regularly carrying out plantation and participating in the Green Mission programs, like World Environment Day, 10 Minutes to Earth etc. These have been regularly updated in our compliance reports. ANNEXURE- I</p>
iv.	<p>No work with respect to in-situ/ex-situ conservation of orchids and rehabilitation of the species along the road from Rangpo to Ranipool has yet been implemented.</p>	<p>A total amount of Rs.27.43 Lakhs in EMP has been deposited to the Sikkim Forest Deptt. and progress report from Sikkim Forest Department is requested and report awaited.</p>
v.	<p>The project has not complied with the condition to implement fisheries management Plan for project. During meeting of Multidisciplinary Committee, State Fisheries Department official informed that the work can be done by them.</p>	<p>Complied</p>
vi.	<p>Regular monitoring of ambient air and ground level concentrations of SO₂, NO₂ and PM₂₅ & PM₁₀ should be carried out in the impact zone and records maintained and periodically reports submitted to the regional office. These data should also be put on the website of the company.</p>	<p>Complied and on regular basis same has been submitted to State Pollution Control Board, Sikkim. ANNEXURE- II</p>
vii.	<p>The amenities and facilities provide to workers are grossly inadequate, improvement is needed to modernize the kitchen, eating place, drinking water and adopt better kitchen waste management both at Powerhouse and Dam sites.</p>	<p>Complied- enclosed photographs as Annexure IV.</p>

S.no:	Conditions	Status
II	PART-A Specific conditions: As per EC No: J-12022/91/2007-IA.I, Dt: 01.04.2008.	
i.	Catchment Area Treatment Plan has been proposed and should be completed in 4 years	The entire CAT plan amount of Rs.780.92 Lakhs is already deposited to State Forest department.
ii.	The land holding of project affected persons whose land is being acquired has to be submitted to this Ministry. During the construction of the project, if any person/family whose acquired land is more than 70% of the total land holding is identified, such family/person shall be treated as fully affected person. NPRR - 2007 as well as Sikkim R& R package would be followed for R& R of project affected persons	Not Applicable
iii.	A Monitoring committee for R&R should be constituted which must include representatives of project affected persons from SC/ ST category and a women beneficiary	Not Applicable
iv.	The commitment made during the public hearing should be fulfilled	Complied. In addition to the commitments made during the Public Hearing, we have taken up many local works. ANNEXURE- III
v.	All the equipment which are likely to generate high noise levels are to be fully taken care (noise reduction measures) to meet the ambient noise control standards	All necessary provisions are made to meet ambient noise control standards as applicable. Regular Noise Level study carried out. ANNEXURE-IV
vi.	The proposed plan for 3.6 lakh cu.m of muck disposal i.e about 1.1 lakh cu.m is proposed to be reutilised during construction and the remaining 2.5 lakh cumecs of muck to be disposed of at 6 designated areas in North and East Sikkim districts Consolidation and compilation of the muck should be above high flood level	Same as I (i)& I(ii)
vii.	The fishery management plan as proposed in the letter dated 11-02-2008 should be implemented in totality. Creating hatcheries, establishment of fish farms and reservoir fishery has been proposed for conservation and fisheries development and suitable sites for establishment of hatcheries should be identified in consultation with the State Fisheries Department. The total budget of Rs. 55.75 lakhs for fishery development and conservation should not be diverted for any other purpose.	Complied

S.no:	Conditions	Status
viii.	The proposed afforestation programme in double of degrade forest area of 15.6ha (10ha in north & 5.6 in East districts) using native plant species are identified for this afforestation programme should be strictly implemented. Necessary forest clearance under Forest (conservation) Act, 1980 should be obtained in this regard.	Complied
ix.	The proposed green belt within the 39.1ha of the project area along the network of approach roads, residential areas, office complex, dam site, around the periphery of the reservoir should be strictly adhered and also proposed in - situ/ex - situ conservation of Orchids and take up rehabilitation of these species along the road from Rangpo to Ranipool which are ideal places for rehabilitation should be strictly implemented.	Same as I (iii) & I (iv)
x.	During lean season 4.92cumecs of water flow is available in the river. A minimum of 1cum of the water shall be released during the lean season for maintaining the aquatic life in the river	Compiled. Refer ANNEXURE - V
III	Part - B: General conditions	
i.	Adequate free fuel arrangement should be made for the labour force engaged in the construction work at project cost so that indiscriminate felling of trees is prevented.	Noted, Project is in operation stage, LPG is being provided/used at Kitchen.
ii.	Fuel depot may be opened at the site to provide the fuel (kerosene/wood/LPG). Medical facilities as well as recreational facilities should also be provided to the labourers.	Noted, Project is in Operation stage, First aid facilities are available at different sites, and all the medical emergency services arrangements are available at sites. Ambulance is readily available at project sites for any emergencies not only for the employees but also open to the local public.
iii.	All the labourers to be engaged for construction works should also be thoroughly examined by health personnel and adequately treated before issuing them work permit.	Project is in Operation stage; only maintenance activities and infra-activities are in progress. All the laborers are thoroughly examined before hiring them for various activities during operation stage. In addition to this, medical camps are being conducted regularly.
iv.	Restoration of construction area including dumping area with levelling, filling up of burrow pits, landscaping etc. area should be properly treated with suitable plantation.	Same as I (i) & I (ii)
v.	Financial provision shall be made in the total budget for safeguard measures.	Noted

S.no:	Conditions	Status
vi.	A multidisciplinary committee in consultation with the Ministry should be constituted with Ecologists, Environmental Scientists, Conservationists and experienced administrators etc., to oversee the effective implementation of suggested safeguard measures.	The Multidisciplinary committee for our project is already formed, and all the required steps are being carried out as per their guidance.
vii.	Six monthly monitoring reports should be submitted to the Ministry and its regional Office, Shillong for review.	Six monthly reports are being submitted regularly. ANNEXURE-VI
4.	Officials from Regional Office MoEF, Shillong who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents/ data by the project proponents during their inspection.	Noted & Complied
5.	The responsibility of implementation of environmental safeguards rests fully with Sneha Kinetic Power Projects Limited & Government of Sikkim	Yes, being ensured of various safety measures implemented at project site.
6.	The total amount of Rs. 2346.88 lakhs kept in the budgetary provisions in the letter dated 11.02.2008 for implementation of environmental management plan should be strictly adhered and not to be diverted for any purpose.	After the receipt of Amendment in Environmental Clearance on 5/3/2018, revised amount of Rs.3595 lakhs is allocated as budgetary provisions for our project's Environmental Management Plan and is being implemented
7.	In case of change in the scope of the project, project would require a fresh appraisal.	Amendment in EC has already been obtained from MOEF&CC vide no: J-12011/91/2007-IA-Idated 5th March 2018
8.	The ministry reserves right to add additional safeguard measures subsequently, if found necessary and to take action including revoking of the clearance under the provisions of the Environment (Protection) act, 1986 to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner	Noted
9.	This clearance letter is valid for a period of 10 years from the date of issue of this letter of commencement of construction work	Noted, Project is in operation stage. Declaration of COD was done for i. Unit 1 on 12 th April 2017 ii. Unit 2 on 28 th May 2017
10.	A copy of the clearance letter will be marked to concerned Panchayat/local NGO, if any, from whom any suggestion/	Noted and complied.

S.no:	Conditions	Status
	representation has been received while processing the proposal	
11.	State Pollution Control Board/Committee should display a copy of the clearance letter at the Regional office, District Industries Centre and Collector's office/ tehsildhar's office for 30 days	Noted and complied.
12.	The project proponent should advertise within 7 days at least in 2 local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned informing that the project has been accorded environmental clearance and copies of clearance letters are available with the State Pollution Control Board/ Committee and may also be seen at Website of the Ministry of Environment and Forests at http://www. envfor.nic.in	The advertisement regarding the issue of environmental clearance for project was published in newspapers as per details below. 1. Samay Dainik dated 09/04/2008 2. Sikkim Express dated 10/04/2008 3. Sikkim Herald dated 15/04/2008
13.	Any appeal against this environmental clearance shall lie with the National Appellate Authority, if preferred within a period of 30 days as prescribed under Section 11 of the National Environment Appellate Act,1997	Noted.

Annexure I – Present status of Reclamation Works

A.-Dam Site Dumping Yard.

Dumping Yard-1-(Behind Main Store).




Dumping Yard-2- Near Adit-2.



B- Power House Site Dumping Yard,

Dumping Yard-3.



Dumping Yard-4.



C- Surge Shaft Site Dumping Yard.

Dumping Yard-5, (Behind Adit-2A).



Dumping Yard-6.



Annexure I Cont. – Afforestation programmes: Plantation at Dikchu Powerhouse on 5th June 2025 – World Environment Day




Plantation at Site on 16th Sept 2025 at Dikchu Powerhouse site



Plantation at Site on 21st Sept 2025 at Lingdok Dam site




Annexure-II . Report of regular monitoring of ambient air and ground level concentrations (7.06.2025).



Idma Laboratories Limited

TC-8207





TEST REPORT

Lab No.	140825L-ED-031	Page No. 1/1
Customer#	Sneha Kinetic Power Projects Pvt. Ltd. Dikchu Hydro Electric Power Project-2 x 48 MW Dikchu East Sikkim-737107 Sikkim	
Type of Sample#	Ambient Air	
Customer's Description of Sample#	Ambient Air	
Quantity#	01 No.	
Packing, Markings#	Filter Paper Packed in Polythene Pouch.	
Mode of Collection of Sample	Sampling by Laboratory	
Work Order No.#	4500043969	Dated 07/08/2025
Date of Receipt of Sample	14/08/2025	
Period of Analysis	14/08/2025 To 19/08/2025	
Sampling Team	Idma Representative Team	Client Mr. H.K. Kafley
Sampling Location#	Dam Site. Dam Top (Near DG Area)	
Visual Observation	N/A	
Date of Sampling	08/08/2025	
Date of Reporting	19/08/2025	
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013	
Testing Protocol	NAAQS	

RESULTS					
S.No.	Test Parameter	Units	Results	Specifications	Test Method
CHEMICAL TESTING (ATMOSPHERIC POLLUTION)					
1	PM 10	µg/m ³	79.4	Max. 100	IS 5182 (Part 23)
2	SO ₂	µg/m ³	16.3	Max. 80	IS 5182 (Part 2)
3	NO ₂	µg/m ³	20.7	Max. 80	IS 5182 (Part 6)


Represents details provided by the customer. **End of Report**

Idma Laboratories Limited
Idma Corporate Park,
391, Industrial Area, Phase - 1,
Panchkula - 134113,
Haryana (India)
Tel No. 0172 - 5064827 - 5064830
Website : www.idmagroup.co.in
Email : commercial@idmalab.co.in


Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy/ Quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subject to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email to testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited

TC-8207





TEST REPORT

Lab No.	140825L-ED-030	Page No. 1/1
Customer#	Sneha Kinetic Power Projects Pvt. Ltd. Dikchu Hydro Electric Power Project-2 x 48 MW Dikchu East Sikkim-737107 Sikkim	
Type of Sample#	Ambient Air	
Customer's Description of Sample#	Ambient Air	
Quantity#	01 No.	
Packing, Markings#	Filter Paper Packed in Polythene Pouch.	
Mode of Collection of Sample	Sampling by Laboratory	
Work Order No.#	4500043969	Dated 07/08/2025
Date of Receipt of Sample	14/08/2025	
Period of Analysis	14/08/2025 To 19/08/2025	
Sampling Team	Idma Representative Team	Client Mr. H.K. Kafley
Sampling Location#	Power house site near 132 KV GIS.	
Visual Observation	N/A	
Date of Sampling	08/08/2025	
Date of Reporting	19/08/2025	
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013	
Testing Protocol	NAAQS	

RESULTS					
S.No.	Test Parameter	Units	Results	Specifications	Test Method
CHEMICAL TESTING (ATMOSPHERIC POLLUTION)					
1	PM 10	µg/m ³	76.2	Max. 100	IS 5182 (Part 23)
2	SO ₂	µg/m ³	18.4	Max. 80	IS 5182 (Part 2)
3	NO ₂	µg/m ³	21.1	Max. 80	IS 5182 (Part 6)

Represents details provided by the customer. **End of Report**

Idma Laboratories Limited
Idma Corporate Park,
391, Industrial Area, Phase - 1,
Panchkula - 134113,
Haryana (India)
Tel No. 0172 - 5064827 - 5064830
Website : www.idmagroup.co.in
Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy/ Quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subject to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email to testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830

Annexure-III, Details of Local works carried out at project site

FY 2021-22

- Construction of Community Centre at Lingdok Namphong GPU, worth ₹ 11.32 Lakhs.
- Construction of 2 units institutional Toilet at Upper Rongong, worth ₹ 3.01 Lakhs.
- Construction of CC Footpath from Longbu to Rateychu, worth ₹ 4.8 Lakhs.
- Construction of roof at Assembly Ground of Dikchu Sr. Sec. School. ₹ 8.85 Lakhs.
- Contribution of ₹ 1.5 Crore to the Chief Minister’s Relief Fund, Government of Sikkim for Covid-19.
- Distribution of Total 20 Nos Large Medical Grade 10 Ltrs per min Oxygen Concentrators to the different PHC’s & PHSC’s, such as Penlong PHSC, Lingdok PHSC, Dikchu PHC, Mangan District Hospital and Phodong PHC in Sikkim.
- Distribution of 1000 Pcs of PPE’s Kits, Sanitizers, Hand Wash, Normal 3 Ply Masks and N95 Masks to the District Administration of East and North Sikkim, Gangtok (New STNM) Sokethang Hospital, Mangan District Hospital, Lingdok, Penlong, Dikchu PHC’s and etc.
- Distribution of 40 nos BS#3 Valve& Guard Medical Oxygen Cylinder of 50 Ltrs capacity to D.G. Cum Secretary Health Department, Government of Sikkim.
- Construction Covid Flu Centre at Dikchu P.H.C.
- Temporary placing our Ambulance at Lingdok PHSC for Covid patients in the village.

FY 2023-24

- Construction of Community Shed at Ramthang Manilhakhang, Ramthang Tanek GPU of ₹. 8,17,508/-.
- Construction of School Playground at Tanek, Ramthang Tanek GPU North Sikkim, Worth ₹ 5,15,105/-.
- Construction of Community Shed at Tumlong under Rongong Tumblong GPU of ₹ 7,31,017/-.
- Construction of community toilet at Lingdok, East Sikkim of ₹ 2,57,381/-.

FY 2024-25

- Construction of fencing/ barricading works at School, North Sikkim of ₹ 5,00,000/-.
- Construction of CC footpath from Dikchu to Tanek village, Surge shaft site of ₹4,25,316/-.
- Providing one set of X Ray Machine at Phodong Primary Health Centre, Mangan of ₹ 3,50,000/-.

Construction of community toilet at Lingdok, East Sikkim



Construction of fencing/ barricading works at School, North Sikkim



Construction of CC footpath from Dikchu to Tanek village



Providing one set of X Ray Machine at Phodong PHC, Mangan



Annexure-IV, Noise Level Study- Dt 18th Aug 2025 (PH Site).

<b style="font-size: 1.2em;">Idma Laboratories Limited					
TEST REPORT					
Lab No.	140825L-ED-041	Page No. 1/1			
Customer#	Sneha Kinetic Power Projects Pvt. Ltd. Dikchu Hydro Electric Power Project-2 x 48 MW Dikchu East Sikkim-737107 Sikkim				
Type of Sample#	Noise Level (Ambient)				
Customer's Description of Sample#	Noise Level (Ambient)				
Quantity#	01 No.				
Packing, Markings#	Instrument at Site.				
Mode of Collection of Sample	Sampling by Laboratory				
Work Order No.#	4500043959	Dated			
Date of Receipt of Sample	14/08/2025				
Period of Analysis	14/08/2025 To 18/08/2025				
Sampling Team	Idma Representative Team	Client			
Sampling Location#	Power house Machine hall (Center of Both Unit)				
Visual Observation	N/A				
Date of Sampling	09/08/2025				
Date of Reporting	18/08/2025				
Sampling Protocol	CPCB PROTOCOL-2015				
Testing Protocol	CPCB				
RESULTS					
S.No.	Test Parameter	Units	Results	Limits	Test Method
	CHEMICAL DISCIPLINE (Noise Levels)				
1	Lday	dB(A)	74.3	Max 75	CPCB PROTOCOL July 2015.
2	LNight	dB(A)	65.9	Max 70	CPCB PROTOCOL July 2015.
# Represents details provided by the customer. **End of Report**					
Idma Laboratories Limited Idma Corporate Park, 391, Industrial Area, Phase - 1, Panchkula - 134113, Haryana (India) Tel No. 0172 - 5064827, - 5064830 Website : www.idmagroup.co.in Email : commercial@idmalab.co.in					
Disclaimer : <ul style="list-style-type: none"> ● The Test Report is only for the sample tested. ● Samples not drawn by us unless otherwise stated. ● Total liability of Idma Laboratories Limited is limited to the invoiced amount. ● If sample(s) not consumed, they will be stored & retained as per Company Policy/ Quality System Procedure. ● The Test Report shall not be reproduced except in full without the written approval of the laboratory. ● The Test Report is intended only for guidance & not for legal purpose or for advertisement. ● The Test Report in full or parts shall not be used for promotional or publicity purpose. ● Legal disputes are subject to Panchkula Jurisdiction only. ● Any complaints/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report. ● In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail. ● In case of any feedback/complaints, please send email to testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830 					

<b style="font-size: 1.2em;">Idma Laboratories Limited					
TEST REPORT					
Lab No.	140825L-ED-038	Page No. 1/1			
Customer#	Sneha Kinetic Power Projects Pvt. Ltd. Dikchu Hydro Electric Power Project-2 x 48 MW Dikchu East Sikkim-737107 Sikkim				
Type of Sample#	Noise Level (Ambient)				
Customer's Description of Sample#	Noise Level (Ambient)				
Quantity#	01 No.				
Packing, Markings#	Instrument at Site.				
Mode of Collection of Sample	Sampling by Laboratory				
Work Order No.#	4500043959	Dated			
Date of Receipt of Sample	14/08/2025				
Period of Analysis	14/08/2025 To 18/08/2025				
Sampling Team	Idma Representative Team	Client			
Sampling Location#	Generator Floor (Center of both Unit)				
Visual Observation	N/A				
Date of Sampling	09/08/2025				
Date of Reporting	18/08/2025				
Sampling Protocol	CPCB PROTOCOL-2015				
Testing Protocol	CPCB				
RESULTS					
S.No.	Test Parameter	Units	Results	Limits	Test Method
	CHEMICAL DISCIPLINE (Noise Levels)				
1	Lday	dB(A)	67.3	Max 75	CPCB PROTOCOL July 2015.
2	LNight	dB(A)	60.9	Max 70	CPCB PROTOCOL July 2015.
# Represents details provided by the customer. **End of Report**					
Idma Laboratories Limited Idma Corporate Park, 391, Industrial Area, Phase - 1, Panchkula - 134113, Haryana (India) Tel No. 0172 - 5064827, - 5064830 Website : www.idmagroup.co.in Email : commercial@idmalab.co.in					
Disclaimer : <ul style="list-style-type: none"> ● The Test Report is only for the sample tested. ● Samples not drawn by us unless otherwise stated. ● Total liability of Idma Laboratories Limited is limited to the invoiced amount. ● If sample(s) not consumed, they will be stored & retained as per Company Policy/ Quality System Procedure. ● The Test Report shall not be reproduced except in full without the written approval of the laboratory. ● The Test Report is intended only for guidance & not for legal purpose or for advertisement. ● The Test Report in full or parts shall not be used for promotional or publicity purpose. ● Legal disputes are subject to Panchkula Jurisdiction only. ● Any complaints/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report. ● In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail. ● In case of any feedback/complaints, please send email to testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830 					

Annexure-V, A minimum 1 cum of water is being released during lean season for maintaining the aquatic life in the river.- installation of Ultrasonic Flow meter installed at Dam site for regular monitoring.


Real Time Report / Trends
Sneha Kinetic Power Projects Pvt. Ltd.
 gangtok, Sikkim | POWER PLANT | Refresh

Data Last Received On: 21, August, 2025
CPCB Last Updated Time: [Blank]
Co [Blank]

Live Readings
 Emission | Effluent | Ambient | All

ETP

1.2 m3/sec
 ETP - Flow
15 MinsAvg: 1.13 m3/sec
 Limit: m3/sec Range: 0 - 32
 Last Received: a minute ago



Annexure VI, Regularly Six Monthly Monitoring report are being regularly submitting to IRO, Kolkata, MoEF&CC, New Delhi and Concern Sikkim S.P.C.B. (latest by 2.06.2025 upto April 2025)

Sneha Kinetic Power Projects Private Limited
 CIN: U40109DL2000PTC231172

Ref: GSKPPPL/GTK/MoEF&CC/ 25-26/06- 335(a-c)
 Date: 02.06.2025

The Dy. Inspector General of Forests(C),
 Integrated Regional Office,
 Ministry of Environment, Forests & Climate Change,
 Government of India,
 IB-198, Sector-III, Salt Lake City,
 Kolkata-700106.

Sub: Submission of Half yearly compliance report on environment stipulations- as per MoEF Environment Clearance of Dikchu HEP (96 MW) in Sikkim- by M/s. Sneha Kinetic Power Projects Pvt. Ltd. - reg.

Ref: Environmental Clearance obtained from MoEF&CC vide letter no: J-12011/91/2007-IA-1, Dt: 01-04-2008.
 Amendment in Environmental Clearance obtained from MoEF&CC vide letter no: J-12011/91/2007-IA-1, Dt: 05-03-2018.

Sir,
 With reference to above, our project is in operational stage after being successfully commissioned. We are hereby submitting our Half Yearly Compliance and status report (along with required annexures) for the period ending upto April 2025.

Thanking you
 Yours sincerely

For, M/s. Sneha Kinetic Power Projects Pvt. Ltd.
SNEHA KINETIC POWER PROJECTS PVT. LTD.
 (Authorized Signatory)

Copy to: MoEF&CC, New Delhi- for Kind information please.
 Nodal Officer (FCA)- for Kind information please.
 Member Secretary- State Pollution Control Board-Sikkim- for kind information please.

Corp. Office: Plot No. 13, 5y.No.64 Part, Block-D, Second Floor, Hitech City Layout, Madhapur Village, Hyderabad-500081.
 Ph: 040-40301000, Fax: 040-40301101, Email: info@greenkogroup.com

Waste Management- Disposal of Solid Wastes on monthly basis to the Govt. approved Dumping Yard at 32 No, Martam, East Sikkim.

